

List of available tooling-updated March 2009

Ød	ØD	H	PROFILE
8	22	7	TR/1
12	24	7	TR/1
15	35	10	TR/1
17	28	7	TR/2
22	32	6	TR/2
22	36	7	TR/1
24	40,1	10	TR/1
25	38	8	TR/3
25	40	8	TR/1
25	47	10	TR/1
25	50	10	TR/3
25	51,8	12,5	TR/1
28	47	7	TR/1
28	50	10	TR/3
28,5	46,5	10	TR/1
30	40	8	TR/1
30	48	8	TR/3
30	50	10	TR/3
30	52	10	TR/3
30	52	10	TR/1
30,16	47,72	9,52	TR/3
30,16	50	10	TR/1
34,925	63,5	9,525	TR/2
35	47	7	TR/1
35	50	10	TR/1
35	52	8	TR/1
35	55	10	TR/1
35	57	10	TR/1
35	60	10	TR/3
38	57	10	TR/1
38,1	53,98	11,11	TR/3
38,1	60	10	TR/1

Ød	ØD	H	PROFILE
40	52	8	TR/1
40	55	8	TR/1
40	58	10	TR/1
40	62	12	TR/1
40	65	11	TR/1
40	68	15,62	TR/1
42	65	10	TR/3
42	67	11	TR/1
42,86	65	10	TR/1
42,875	63,55	9,525	TR/2
44	65	11	TR/1
44,4	73,1	10	TR3
45	60	7	TR/3
45	60	9	TR/1
45	62	10	TR/1
45	62	12	TR/3
45	62	8	TR/3
45	62	9	TR/3
45	65	10	TR/1
45	65	7	TR/1
45	65	8	TR/1
45	68	12	TR/1
45	70	11	TR/2
48	66	10	TR/1
49,174	68,224	9,525	TR/1
49,21	70	10	TR/1
50	65	8	TR/1
50	70	10	TR/1
50	70	10	TR/3
50	72	10	TR/3
50	72	12	TR/2
50	72	8	TR/3

Ød	ØD	H	PROFILE
50	75	11	TR/2
50,8	69,85	12,7	TR/3
50,8	80,95	11	TR/1
50,8	81	13	TR/1
54	74,6	9,5	TR/3
54	79,4	11	TR/3
55	69	8	TR/1
55	70	8	TR/3
55	72	10	TR/1
55	72	8	TR/3
55	75	10	TR/1
55	75	12	TR/1
55	76	12	TR/3
55	80	10	TR/1
55	80	11	TR/3
55	80	12	TR/1
55	80	12	TR/3
58	72	10	TR/1
58	80	12	TR/1
58	80	17	TR/1
58,7	79,4	9,5	TR/3
60	74	8	TR/1
60	78	10	TR/1
60	80	10	TR/1
60	80	10	TR/3
60	80	11	TR/1
60	80	12	TR/1
60	85	11	TR/3
60	86	10	TR/3
60	90	13	TR/3
60,33	79,38	9,53	TR/3
64	85	12	TR/1
64	85	13	TR/1

Ød	ØD	H	PROFILE
65	80	12	TR/1
65	80	8	TR/1
65	85	10	TR/3
65	85	12	TR/1
65	90	11	TR/3
65	90	12	TR/1
65	95	10	TR/3
68	90	10	TR/2
68	90	12	TR/2
69,8	85,7	7,9	TR/3
69,8	88,9	9,52	TR/1
69,85	95,2	9,5	TR/1
69,85	95,25	12,7	TR/3
69,85	101,6	12,7	TR/3
70	90	10	TR/2
70	90	12	TR/1
70	90	7	TR/2
70	90	7	TR/3
70	90	8	TR/3
70	95	12	TR/1
70	102	12,5	TR/1
72	100	10	TR/3
73	95	12,5	TR/3
74	90	10	TR/1
74,6	92	9,5	TR/3
75	95	10	TR/2
75	95	12,5	TR/3
75	95	12,5	TR/1
75	95	13	TR/1
75	100	12	TR/3
75	105	15	TR/3
75	105	15	TR/1
75	107	12,5	TR/1

Ød	ØD	H	PROFILE
76,2	95,25	11,11	TR/1
76,5	104,5	12	TR/1
76,5	113	12	TR/3
77,5	104,5	12	TR/1
77,5	113	12	TR/3
78,5	104,5	12	TR/2
80	100	10	TR/3
80	100	10	TR/1
80	100	10	TR/2
80	100	13	TR/1
80	100	8	TR/3
80	105	12	TR/1
80	110	13	TR/1
80	112	12,5	TR/3
80	112	12,5	TR/1
82	101,6	6,35	TR/1
82,5	101,6	12	TR/1
82,5	101,6	6,35	TR/1
82,55	105	12	TR/2
82,55	110	12	TR/3
82,55	114,3	12,7	TR/1
85	102	13	TR/3
85	105	10	TR/3
85	110	12,5	TR/1
85	110	12,5	TR/3
85	110	13	TR/2
85	110	13	TR/2
85	115	16	TR/1
85	117	12,5	TR/3
85	117	12,5	TR/1
85	120	12	TR/1
85,6	106,37	8,66	TR/3

Ød	ØD	H	PROFILE
85,725	111,125	15,875	TR/1
88	126	12	TR/3
88,9	111,1	9,52	TR/3
88,9	114,3	12,7	TR/3
88,9	127	14,3	TR/3
89	113	12	TR/3
90	110	10	TR/3
90	110	10	TR/1
90	110	12	TR/3
90	110	13	TR/1
90	110	8	TR/3
90	115	12	TR/3
90	115	15	TR/1
90	120	13	TR/3
90	122	12,5	TR/1
90	130	12	TR/3
92	120	13	TR/3
92	120	13	TR/1
92,08	127	12,7	TR/3
93	127	13	TR/3
95	115	10	TR/3
95	120	10	TR/3
95	120	10	TR/3
95	120	13	TR/3
95	120	13	TR/1
95	120,4	9,5	TR/1
95	127	12,5	TR/3
95	127	12,5	TR/1
95	135	18	TR/1
95,25	127	15,875	TR/3
97	120	13	TR/2
98	115	9	TR/3
98	125	13	TR/3

Ød	ØD	H	PROFILE
98,4	123,88	12,7	TR/3
100	115	9	TR/1
100	120	10	TR/3
100	120	12	TR/1
100	120	13	TR/1
100	125	12	TR/1
100	125,4	12,7	TR/1
100	127	13	TR/3
100	128,5	9,5	TR/3
100	130	12	TR/3
100	130	12	TR/2
100	130	13	TR/3
100	130	16	TR/3
100	132	12,5	TR/1
100	140	16	TR/3
100	140	18	TR/1
100,01	130,17	11,9	TR/1
100,01	130,17	15,875	TR/3
100,01	139,69	17,85	TR/1
101,6	126,97	12,7	TR/1
101,6	127	12,7	TR/3
101,6	133,35	12,7	TR/3
101,6	136,52	19,05	TR/1
102,158	134,778	12,4	TR/3
104,77	142,87	15,875	TR/1
105	130	12	TR/3
105	130	12	TR/1
105	130	13	TR/1
105	130	13	TR/1
105	133,6	12,7	TR/1
105	135	12	TR/1
105	135	13	TR/1
105	136,75	12,7	TR/1

Ød	ØD	H	PROFILE
105	143	16	TR/1
105	145	16	TR/3
106,36	133,5	12,7	TR/1
107	147	16	TR/1
107,9	146	14,2	TR/1
107,95	133,35	11,125	TR/1
107,95	133,35	12,7	TR/3
107,95	138,1	12,7	TR/3
107,95	138,1	9,52	TR/3
110	126	9	TR/1
110	130	13	TR/1
110	130	9	TR/3
110	140	12	TR/2
110	140	15	TR/3
110	142	12	TR/1
110	145	19	TR/3
110	150	16	TR/1
110	160	13	TR/1
112,7	139,7	12,7	TR/3
112,72	139,7	14,27	TR/3
113	140	13	TR/3
114	139	15	TR/1
114	140	13,3	TR/1
114,29	139,69	12,7	TR/1
114,29	139,69	9,52	TR/3
114,3	152,41	15,88	TR/3
115	135	10	TR/3
115	137	9	TR/3
115	140	12	TR/3
115	140	13	TR/1
115	145	15	TR/1
115	150	10	TR/3
115	150	10	TR/3

Ød	ØD	H	PROFILE
115	155	16	TR/3
115	160	15	TR/1
117,4	152,4	15,8	TR/1
117,47	136,52	10,31	TR/1
117,475	152,4	12,7	TR/3
117,48	146,08	14,3	TR/3
117,5	142,5	12,5	TR/3
118	150	15	TR/3
120	136	9	TR/1
120	140	12,5	TR/2
120	140	13	TR/2
120	144	12	TR/1
120	145	15,5	TR/3
120	145,4	12,7	TR/3
120	150	12	TR/2
120	150	13	TR/2
120	150	13	TR/3
120	150	15	TR/3
120	150	16	TR/1
120	152	16	TR/1
120	152	16	TR/3
120	155	18	TR/1
120	160	12	TR/1
120	160	15	TR/1
120	160	16	TR/1
120	160	18	TR/1
120,65	152,43	14,3	TR/3
123,8	149,2	12,7	TR/3
123,8	158,75	14,3	TR/1
125	140	10	TR/2
125	151	17	TR/1
125	160	15	TR/1
125	160	15	TR/2

Ød	ØD	H	PROFILE
125	165	15	TR/1
125	165	16	TR/1
125	165	16	TR/3
125	170	13	TR/3
125,425	158,75	12,7	TR/3
126	160	15	TR/3
126,2	146	9,5	TR/1
127	146	9,5	TR/2
127	152,4	12,7	TR/1
127	152,4	9,5	TR/3
127	158,9	14,29	TR/1
128,575	161,925	14,275	TR/1
130	150	10	TR/1
130	155	12	TR/2
130	155	12,5	TR/3
130	155	15,5	TR/3
130	160	12	TR/1
130	160	15	TR/3
130	160	15	TR/1
130	165	13	TR/1
130	165	18	TR/1
130	170	10	TR/3
130	170	16	TR/1
130,17	169,85	15,875	TR/1
133,36	171,46	15,88	TR/3
134,94	174,62	15,875	TR/1
135	155	12	TR/3
135	167	15	TR/1
135	170	12	TR/3
135	170	15	TR/3
135	170	15	TR/1
135	170	16,5	TR/1
135	175	16	TR/1

Ød	ØD	H	PROFILE
136,525	161,925	12,7	TR/3
139,7	171,45	15,875	TR/1
139,7	171,45	15,875	TR/3
139,7	174,7	15	TR/1
139,7	177,8	15,875	TR/3
140	155	10	TR/1
140	165	12	TR/3
140	170	15	TR/2
140	170	15	TR/3
140	170	16	TR/3
140	175	15	TR/3
140	175	15	TR/3
140	178	16	TR/3
140	180	16	TR/2
140	180	16	TR/3
143	165	10	TR/3
143	165	12	TR/3
145	170	13	TR/1
145	174	14	TR/3
145	175	14	TR/1
145	180	13	TR/2
145	185	16	TR/3
145	185	18	TR/1
146	177,8	15,9	TR/2
146	177,8	15,9	TR/3
146	178	16	TR/3
148	170	16	TR/3
149,22	174,62	12,7	TR/1
150	170	15	TR/3
150	180	12	TR/1
150	180	13	TR/1
150	180	14	TR/3
150	180	14	TR/1

Ød	ØD	H	PROFILE
150	180	14	TR/1
150	180	15	TR/1
150	180	16	TR/1
150	182	16	TR/3
150	186	20	TR/1
150	190	16	TR/1
150	190	16	TR/3
150	200	16	TR/1
150,81	177,8	14,28	TR/3
152	181	12,5	TR/3
152,4	177,8	12,7	TR/1
152,4	181	12	TR/2
152,4	181	12,7	TR/3
152,4	184,15	15,875	TR/2
152,4	190,5	17	TR/2
152,5	183	15	TR/2
155	180	12,5	TR/3
155	190	15	TR/3
155	195	16	TR/3
155	195	18	TR/1
155	215	20	TR/3
158	180	15	TR/3
158,75	184,15	12,7	TR/1
160	185	10	TR/3
160	188	21	TR/3
160	190	15	TR/3
160	190	15	TR/1
160	190	15	TR/3
160	196	20	TR/1
160	200	15	TR/3
160	200	16	TR/3
160	200	16	TR/1

Ød	ØD	H	PROFILE
161,1	210,2	15,8	TR/1
161,925	200,025	15,875	TR/1
162	190	12	TR/3
162	202	16	TR/3
165	190	13	TR/3
165	190	15	TR/3
165	195	15	TR/2
165	200	15	TR/3
165	205	16	TR/3
165	205	16	TR/1
165,1	203,2	19,05	TR/3
165,1	204,78	15,875	TR/1
165,16	190,5	14,29	TR/1
168,3	206,4	17,5	TR/3
170	200	12	TR/3
170	200	12	TR/1
170	200	15	TR/3
170	200	16	TR/3
170	200	16	TR/1
170	210	16	TR/1
170	210	16	TR/3
170,26	202	12,7	TR/3
171,45	196,85	19,05	TR/3
171,45	196,85	19,05	TR/1
171,45	197	17,5	TR/3
171,45	209,55	15,8	TR/1
175	205	15	TR/1
175	213,1	19,05	TR/3
175	215	16	TR/1
175,6	208,8	18,8	TR/1
177,8	203,2	12,7	TR/1
177,8	215,9	19,05	TR/1
177,81	209,55	19,05	TR/3

Ød	ØD	H	PROFILE
177,81	212,73	15,88	TR/1
177,81	215,91	15,88	TR/3
178	228	20	TR/1
179	219	16	TR/3
179,38	219,06	15,875	TR/3
180	200	15	TR/3
180	200	16	TR/3
180	205	11	TR/3
180	210	12	TR/3
180	210	15	TR/3
180	210	15	TR/1
180	210	16	TR/3
180	215	16	TR/2
180	215	16	TR/2
180	215	18	TR/1
180	215	19	TR/1
180	220	15	TR/2
180	220	16	TR/2
180	220	20	TR/1
180,975	209,55	19,05	TR/3
181	219	15	TR/3
185	215	15	TR/1
185	225	16	TR/1
188	215	16	TR/3
190	220	13	TR/1
190	220	15	TR/3
190	220	15	TR/1
190	220	16	TR/1
190	220,4	12,7	TR/3
190	225	18	TR/1
190	225	18	TR/3
190	230	16	TR/1
190	230	16	TR/3

Ød	ØD	H	PROFILE
190	230	17	TR/3
190	235	16	TR/3
190,5	215,9	15,7	TR/3
190,5	215,9	15,7	TR/2
195	220,4	17,7	TR/2
195	233,1	19,1	TR/3
195	235	16	TR/3
195,26	234,94	15,875	TR/3
196,85	238,12	15,875	TR/3
197	236	16	TR/3
200	225	15	TR/3
200	230	14	TR/1
200	230	15	TR/1
200	230	16	TR/3
200	231,74	15,875	TR/3
200	235	19	TR/1
200	238	19	TR/3
200	238,12	18	TR/2
200	238,12	18	TR/3
200	240	16	TR/1
200	240	16	TR/3
200	250	18	TR/1
200	260	16	TR/3
200,02	234,95	18	TR/1
200,02	234,95	19	TR/1
200,02	234,95	20	TR/1
200,02	238,12	19,05	TR/3
200,02	238,12	19,05	TR/1
200,02	239,7	15,875	TR/3
200,025	225,425	12,7	TR/1
200,03	228,61	11,11	TR/1
200,08	238,12	17,45	TR/3
203	241	16	TR/2

Ød	ØD	H	PROFILE
203,21	241,31	15,88	TR/2
205	230	15	TR/1
205	245	16	TR/3
205	245	20	TR/1
207,975	233,375	12,7	TR/1
208	233	12,5	TR/1
209,5	234,9	15,8	TR/1
209,5	235	15,8	TR/3
209,55	250,03	15,875	TR/3
210	230	10	TR/1
210	240	12	TR/3
210	240	15	TR/3
210	245	18	TR/3
210	250	15	TR/1
210	250	16	TR/1
210	250	16	TR/3
210	250	20	TR/3
212,7	247,6	15,8	TR/3
212,72	250,82	15,875	TR/3
215	240	12	TR/3
215	248	15	TR/3
215	248	15	TR/1
215	250	16	TR/3
215,8	247,6	19	TR/3
215,9	254	15,875	TR/3
215,9	254	19,05	TR/3
216	254	16	TR/3
219	250	12	TR/3
220	240	16	TR/3
220	250	12	TR/3
220	250	15	TR/3
220	250	15	TR/1
220	255	18	TR/1

Ød	ØD	H	PROFILE
220	255	18	TR/3
220	260	15	TR/3
220	260	16	TR/2
220	260	16	TR/3
220	260	18	TR/1
220	260	20	TR/3
225	250	12,5	TR/1
225	255	15	TR/2
225	265	16	TR/3
225	270	16	TR/1
225,42	269,92	15,875	TR/1
226	258	16	TR/1
228	268	16	TR/2
228	268	20	TR/1
228,6	260,35	15,875	TR/2
228,6	268,28	15,875	TR/1
230	260	12,5	TR/3
230	260	15	TR/3
230	260	16	TR/2
230	265	20	TR/3
230	270	16	TR/1
230	270	20	TR/3
230,18	269,86	15,875	TR/1
231,77	269,87	15,875	TR/1
234,95	273,05	19,05	TR/1
234,95	274,63	15,875	TR/1
235	265	15	TR/2
235	270	16	TR/1
235	273	19	TR/1
235	275	16	TR/1
235	275	20	TR/1
239,71	274,63	17,85	TR/3
240	265	12,5	TR/3

Ød	ØD	H	PROFILE
240	270	13,5	TR/3
240	270	15	TR/2
240	270	16	TR/1
240	275	18	TR/1
240	275	18	TR/3
240	280	16	TR/3
240	280	16	TR/1
240	280	20	TR/3
240	280	20	TR/3
241	279	19	TR/3
241,3	273	15,8	TR/3
241,3	279,4	15,875	TR/3
241,3	279,4	15,88	TR/3
241,3	279,4	19,05	TR/3
241,31	279,41	17,46	TR/3
244,47	276,22	19,05	TR/1
244,47	276,22	20	TR/1
245	275	16	TR/1
245	285	16	TR/3
245	288	16	TR/3
247,6	273	12,7	TR/1
247,65	273,05	15,875	TR/1
247,65	279,4	12,7	TR/1
247,65	279,4	15,875	TR/1
247,65	298,45	19,05	TR/1
249,23	289,71	15,875	TR/3
250	275,4	12,7	TR/3
250	280	12	TR/3
250	280	15	TR/3
250	280	16	TR/2
250	285	18	TR/3
250	285,8	17,5	TR/1
250	288	19,05	TR/3

Ød	ØD	H	PROFILE
250	290	16	TR/3
250	290	16	TR/1
250	294	20	TR/1
250	295	24	TR/1
250	300	20	TR/1
250	300	20	TR/2
250,8	290	15,875	TR/3
250,82	290,5	15,875	TR/3
254	279,4	15	TR/3
254	280	14,7	TR/3
254	280	14,7	TR/2
254	285,75	16,76	TR/1
254	292,1	15,875	TR/3
254,1	285,76	15,875	TR/1
255	299	20	TR/2
255,58	300,03	19,84	TR/1
256	300	20	TR/1
258	290	16	TR/3
260	280	11,8	TR/1
260	290	16	TR/3
260	290	20	TR/1
260	295	17	TR/3
260	298	17	TR/3
260	300	14,4	TR/3
260	300	16	TR/1
260	300	18	TR/3
260	300	18	TR/1
260	300	20	TR/3
260	304	19,05	TR/3
260	304	20	TR/1
260	304	20	TR/3
260	305	16	TR/3
260,35	300,03	17,85	TR/1

Ød	ØD	H	PROFILE
260,35	300,03	19,84	TR/3
260,35	311,15	15,875	TR/3
261	311	16	TR/3
264	310	13	TR/3
264	310	17	TR/1
265	303	16	TR/1
265	310	22	TR/1
265	310	22	TR/3
265,11	303,21	15,875	TR/1
266,7	304,8	17,4	TR/3
266,7	311,15	19,05	TR/3
269,87	309,55	15,875	TR/1
269,87	314,3	19,84	TR/1
270	300	15	TR/1
270	308,55	15,875	TR/1
270	310	16	TR/1
270	310	20	TR/3
270	310	20	TR/1
270	314	20	TR/3
270	314	20	TR/1
273	311	15	TR/1
273	317	19	TR/1
273,05	311,15	15,08	TR/1
274,63	315,11	19,84	TR/2
274,8	320	15	TR/3
274,8	320	16	TR/3
275	310	15	TR/1
275	315	18	TR/2
275	315	20	TR/2
275	319	20	TR/3
275	320	15	TR/1
279,39	319,87	19,84	TR/3
279,39	330,19	23,81	TR/1

Ød	ØD	H	PROFILE
279,4	304,8	15,875	TR/3
279,4	317,5	15,875	TR/1
279,4	317,5	17,46	TR/1
279,4	317,5	19,05	TR/3
280	310	15	TR/2
280	310	15	TR/3
280	310	16	TR/1
280	310	16	TR/3
280	310	20	TR/1
280	315	15	TR/2
280	318	15	TR/1
280	318,75	27	TR/1
280	320	16	TR/1
280	320	17,5	TR/1
280	320	18	TR/3
280	320	20	TR/3
280	324	20	TR/3
280	324	20	TR/1
280	340	15	TR/3
285	325	16	TR/3
286	336,54	15	TR/1
287	315	12,7	TR/1
289	327	19	TR/3
290	315,4	12,7	TR/3
290	320	15	TR/3
290	328,1	19,05	TR/1
290	330	16	TR/3
290	330	20	TR/3
290	334	20	TR/1
290	335	24	TR/1
290	344	20	TR/1
290,51	328,1	19,05	TR/1
292,09	330,19	17,85	TR/3

Ød	ØD	H	PROFILE
292,09	330,19	18	TR/3
292,09	330,19	19,05	TR/2
292,09	342,89	23,01	TR/1
292,1	336,5	19	TR/3
295	335	16	TR/3
295	339	20	TR/1
295,27	339,72	19,84	TR/1
296	340	20	TR/1
298,44	336,54	12,5	TR/1
298,44	336,54	17,46	TR/1
298,45	358,77	25,4	TR/1
298,6	260,3	19,05	TR/3
300	330	14	TR/3
300	330	15	TR/3
300	332	16	TR/3
300	335	18	TR/3
300	340	16	TR/1
300	340	18	TR/3
300	340	20	TR/3
300	340	20	TR/1
300	344	20	TR/3-L-CS
300	344	20	TR/3-L
300	344	20	TR/3
300	344	20	TR/3
300	344	22	TR/2
300	350,8	19,05	TR/3
300	360	25	TR/3
300,03	331,77	15,875	TR/3
301,62	341,3	15,875	TR/1
302	342	16	TR/1
304,79	342,89	19,05	TR/1
304,8	355,6	20,64	TR/1
304,8	355,6	25,4	TR/1

Ød	ØD	H	PROFILE
305	345	20	TR/1
307,8	407	26	TR/1
310	354	20	TR/2
311,15	362,2	25,4	TR/1
314	355	20	TR/2
314,32	355,52	19,84	TR/1
315	343	14	TR/1
315	359	22	TR/3
315	364	20	TR/1
316	360	20	TR/3
317	361	20	TR/1
317,5	355,6	19,05	TR/3
317,6	355,6	17,45	TR/1
320	346	15	TR/3
320	350	15	TR/1
320	358	20	TR/3
320	360	15	TR/3
320	360	18	TR/3
320	360	20	TR/3
320	360	20	TR/1
320	364	20	TR/3
320	364	20	TR/1
320,67	358,77	25,4	TR/1
323	363	16	TR/3
323,85	361,95	17,45	TR/3
324	362	17,5	TR/3
325	369	20	TR/3
325	375	22,8	TR/1
330	360	18	TR/3
330	370	20	TR/3
330	370	20	TR/1
330	374	19	TR/1
330	374	20	TR/3

Ød	ØD	H	PROFILE
330,19	373,06	19,05	TR/1
330,2	368,3	17,45	TR/3
331	371	16	TR/3
334,96	365,12	15,875	TR/1
335	365	16	TR/2
335	375	15	TR/3
335	375	18	TR/1
335	395	16	TR/3
336	380	20	TR/3
340	370	18	TR/3
340	372	16	TR/3
340	380	15	TR/1
340	380	20	TR/1
340	380	20	TR/3
340	380	22	TR/1
340	384	20	TR/3
342,9	381	17,4	TR/3
342,9	381	19,05	TR/3
342,9	387,3	19	TR/1
342,9	387,3	19	TR/3
342,9	387,3	20	TR/3
342,9	393,7	20,7	TR/3
348	380	16	TR/2
350	380	15	TR/3
350	380	16	TR/2
350	380	20	TR/3
350	390	20	TR/1
350	394	20	TR/1
350	394	20	TR/3
350	394,44	19,05	TR/1
350,56	395	20,63	TR/3
355	394	20	TR/1
355	395	20	TR/2

Ød	ØD	H	PROFILE
355	405	20	TR/1
355,59	393,69	19,84	TR/1
355,6	400,04	19,05	TR/3
355,6	400,04	19,05	TR/1
360	390	18	TR/3
360	398	19	TR/1
360	400	17	TR/3
360	400	18	TR/3
360	400	20	TR/1
360	400	22	TR/1
360	404	20	TR/1
360	404	20	TR/3
360	410	20	TR/1
360	420	15	TR/3
360,36	398,46	19,05	TR/1
360,36	404	19,84	TR/1
360,36	420,68	15,08	TR/3
361,9	400	16	TR/3
361,94	406,38	19,05	TR/1
362	400	20	TR/3
362	406	19,05	TR/1
362	406	20	TR/3
365	405	20	TR/3
365,1	408,8	19,8	TR/1
365,12	404,8	19,84	TR/3
368,3	419,1	20,60	TR/3
369,88	414,32	19,05	TR/1
369,88	414,32	19,84	TR/1
370	400	10	TR/2
370	410	18	TR/3
370	414	19	TR/1
370	414	20	TR/1
370	414	20	TR/2

Ød	ØD	H	PROFILE
370	414	20	TR/3
373,06	398,46	12,7	TR/3
374,64	419,08	19,84	TR/1
375	419	20	TR/1
375	420	16	TR/1
375	420	16	TR/3
376,2	427	22,22	TR/3
380	419	24	TR/3
380	419	25	TR/1
380	420	15	TR/1
380	420	20	TR/1
380	420	20	TR/3
380	424	20	TR/3
380	424	20	TR/3-L
380	424	20	TR/1
380	429	24	TR/3
380	430	19	TR/1
380	430	19	TR/3
380	435	25	TR/3
380	435	25	TR/1
381	419,1	17,45	TR/3
384	405	15	TR/1
385	435	25	TR/1
387	431	22,5	TR/3
390	420	14	TR/1
390	424,8	13,5	TR/3
390	428,1	19,05	TR/1
390	430	18	TR/3
390	430	20	TR/3
390	434	20	TR/1
390,52	425,44	13,49	TR/3
393,7	444,5	23	TR/3
393,7	444,52	23,57	TR/1

Ød	ØD	H	PROFILE
393,71	438,15	19,5	TR/3
393,71	438,15	19,5	TR/3
393,71	438,15	20	TR/3
395	439	20	TR/1
395,28	430,2	17,86	TR/1
398,46	430,2	19,05	TR/1
399	431	19	TR/1
400	438,1	18,5	TR/1
400	440	14	TR/2
400	444	19,05	TR/3
400	444	20	TR/3
400	444,5	22	TR/3
400	450	20	TR/1
400	450	20	TR/3
400	450	22	TR/3
400	460	25	TR/3
400,04	444,48	19,84	TR/1
400,04	450,84	22,22	TR/2
404,81	455,61	22,22	TR/3
405	449	20	TR/1
405	455	22	TR/3
406,4	457,2	19	TR/3
406,4	457,2	20,6	TR/3
406,4	457,2	21,2	TR/3
406,4	457,2	22,2	TR/1
406,4	457,2	28,6	TR/3
406,4	457,2	28,6	TR/1
410	445	12	TR/3
410	450	20	TR/1
410	460	22	TR/2
410	460	25	TR/1
412,74	450,84	17,46	TR/3
412,74	450,84	22,22	TR/3

Ød	ØD	H	PROFILE
413	463	22	TR/3
419	451	19	TR/3
419,09	450,84	19,05	TR/3
419,09	469,89	23,01	TR/3
420	460	15	TR/1
420	460	17	TR/3
420	460	20	TR/3
420	470	20	TR/3
420	470	22	TR/1
420	470	22	TR/3
420	470	23	TR/3
420	470	25	TR/1
420	485,1	19,05	TR/3
420,68	460,36	19,05	TR/1
425	483	23	TR/3
425,5	482,6	23,01	TR/3
430	460	15	TR/1
430	480	22	TR/2
430	480	25	TR/3
430	480	25	TR/1
430	480	30	TR/1
431,8	469,89	22,22	TR/2
431,8	482,6	20,6	TR/3
432	470	22	TR/1
435	485	22	TR/3
435	485	23	TR/1
439,73	484,23	19,05	TR/3
440	470	20	TR/1
440	472	20	TR/2
440	480	20	TR/3
440	484,3	19	TR/3
440	490	20,5	TR/1
440	490	22	TR/3

Ød	ØD	H	PROFILE
444,5	508	19,05	TR/3
445	485	18	TR/3
445	495	22	TR/3
446	486	16	TR/3
449,25	500,05	23,01	TR/1
450	494	20	TR/1
450	500	22	TR/1
450	500	22	TR/3
450	500	23	TR/1
450,85	479,29	13,05	TR/1
455	505	22	TR/3
457,2	508	22,22	TR/3
458	494	18	TR/3
460	500	16	TR/2
460	500	20	TR/3
460	510	22	TR/1
460,37	510,37	21,82	TR/1
466,72	509,58	19,84	TR/1
467	510	20	TR/3
467	510	20	TR/1
467	510	25	TR/3
470	508	19	TR/2
470	520	22	TR/2
470	530	30	TR/1
474	514	20	TR/1
474,65	524,65	21,82	TR/1
475	525	22	TR/1
475	525,8	25,4	TR/3
475	530	18	TR/1
475,8	520	22	TR/1
479,42	519,9	19,84	TR/3
479,42	529,42	21,82	TR/1
480	520	20	TR/3

Ød	ØD	H	PROFILE
480	530	22	TR/3
480	530	22	TR/1
480	530	25	TR/3
480	530	25	TR/1
481	520,68	19,84	TR/3
482,58	520,68	19,05	TR/2
485	535	22	TR/1
485	535	22	TR/3
488,94	539,74	21,82	TR/2
490	540	22	TR/3
490	540	22	TR/2
495,3	546,3	22	TR/3
500	540	16	TR/1
500	540	20	TR/1
500	540	20	TR/3
500	540	22	TR/3
500	544	20	TR/3
500	544	22	TR/3
500	545	20	TR/3
500	545	20,5	TR/3
500	550	22	TR/3
500	550	22	TR/2
500	550,8	25,4	TR/1
500	558,8	22	TR/1
500	560	25	TR/2
500,05	544,49	22,22	TR/3
502	542	20	TR/1
503	552	20	TR/1
503	553	22	TR/1
503,23	552,43	19,84	TR/1
505	535	15	TR/1
508	546,1	19,05	TR/1
508	558,8	20,63	TR/3

Ød	ØD	H	PROFILE
510	554	20	TR/1
510	560	22	TR/3
515	565	22	TR/1
520	570	22	TR/3
520	570	25	TR/3
520,7	558,8	19,05	TR/3
520,7	571,5	22,22	TR/1
525	569	20	TR/3
525	575	22	TR/3
528	578	22	TR/3
530	555	12,5	TR/1
530	580	20	TR/3
530	580	22	TR/3
530	580	25	TR/1
530	580,8	25,4	TR/1
530,22	555,52	12,7	TR/1
533,39	584,19	22,22	TR/1
534	584	22	TR/1
535	585	22	TR/3
539,74	590,54	22,22	TR/1
540	590	22	TR/1
540	590	22	TR/3
540	590	25	TR/1
540	590	25	TR/3
541,33	577,83	17,85	TR/3
542	578	18	TR/3
544,5	593,7	21,82	TR/1
545	595	22	TR/1
549	600,8	20,6	TR/1
549,27	600,07	20,63	TR/1
549,27	600,07	21,82	TR/3
550	590	20	TR/3
550	590	20	TR/3-L

Ød	ØD	H	PROFILE
550	590	20	TR/3-L-CS
550	600	22	TR/3
550	600	25	TR/2
552,45	596,9	19,05	TR/1
558,8	596,9	19,05	TR/3
558,8	596,9	19,05	TR/3
558,8	609,6	22,22	TR/3
559	597	19	TR/3
560	604	20	TR/3
560	610	20	TR/1
560	610	22	TR/1
560	610	25	TR/3
560	610	26	TR/2
560,38	609,58	21,82	TR/1
565	615	22	TR/3
565,15	615,95	22,225	TR/3
570	616	19	TR/3
570	620	22	TR/3
570	620	22	TR/3-L
570	620	25	TR/3
570	620	25	TR/3
571,5	615,95	22,22	TR/3
571,5	615,95	25	TR/3
571,52	622,32	20,64	TR/3
574,68	619,12	19,84	TR/1
575	619	20	TR/1
577,85	617,9	14,6	TR/1
579,43	615,93	15,875	TR/3
579,43	628,63	21,82	TR/1
580	616	16	TR/3
580	616	17	TR/3
580	620	25	TR/3
580	630	22	TR/2

Ød	ØD	H	PROFILE
585	635	22	TR/1
590	640	20	TR/3
590	640	22	TR/3
590,55	641,35	20,62	TR/1
590,55	643,7	25,4	TR/1
596,89	641,35	19,05	TR/1
596,9	647,7	22,22	TR/1
600	640	20	TR/1
600	650	22	TR/2
600	650	22	TR/3
600	650	25	TR/2
600	660	25	TR/3
600,06	649,26	21,82	TR/1
605	645	18	TR/3
605	655	22	TR/3
609,6	658,8	21,82	TR/1
609,6	673,1	25,4	TR/1
610	660	22	TR/1
610	674	22	TR/3
610	674	25	TR/3
615	665	24,5	TR/1
620	684	25	TR/3
630	660	15	TR/2
630	680	25	TR/3
630	694	25	TR/3
634,9	685,7	22,22	TR/1
635	685	22	TR/1
635	699	25	TR/1
639,75	682,63	19,05	TR/3
640	684	20	TR/3
640	688	20	TR/3
640	690	22	TR/3
640	704	25	TR/3

Ød	ØD	H	PROFILE
645	695	22	TR/2
647,72	698,53	22,23	TR/2
650	690	18	TR/3
650	690	20	TR/3
660	724	25	TR/1
660	724	25	TR/3
660,3	723,8	25,4	TR/1
660,4	711,2	25,4	TR/1
665	729	25	TR/1
665,15	728,65	25	TR/1
670	734	25	TR/3
676	740	25	TR/3
679,44	742,94	25	TR/3
680	730	22	TR/3
680	744	25	TR/3
685	735	22	TR/1
685	749	25	TR/3
685,8	736,6	22,22	TR/3
690	740	25	TR/3
700	750	25	TR/3
700	764	25	TR/3
710	760	22	TR/3
710	760	25	TR/3
710	770	25	TR/3
710	774	25	TR/2
711	775	25	TR/2
711,19	774,69	25	TR/2
715,95	779,45	25	TR/1
716	780	25	TR/1
720	780	25	TR/3
720	784	25	TR/3
730	780	20	TR/3
730	794	25	TR/3

Ød	ØD	H	PROFILE
736	800	25	TR/3
740	782	18	TR/3
740	804	25	TR/3
748	812	25	TR/3
749,29	809,61	25	TR/1
750	780	18	TR/1
750	810	25	TR/1
750	810	30	TR/3
750	814	25	TR/3
750	850	25	TR/1
760	800	20	TR/1
773,7	825,5	23,01	TR/3
774,7	820	22,22	TR/3
774,7	838,2	22,22	TR/3
775	839	25	TR/2
780	830	25	TR/2
780	844	25	TR/1
786	836	25	TR/1
787,4	838,2	22,22	TR/3
790	854	25	TR/3
800	864	25	TR/3
800	870	30	TR/3
800	874	25	TR/3
800,09	863,59	23,01	TR/1
809,61	873,11	25	TR/3
810	860	25	TR/1
810	860	25	TR/3
810	870	25	TR/3
810	874	25	TR/3
810	910	25	TR/1
820	870	25	TR/1
820	884	28	TR/1
825	875	22	TR/1

Ød	ØD	H	PROFILE
825,5	876,3	22,22	TR/1
830	894	25	TR/3
838	880	20	TR/1
838,15	880,8	20	TR/1
838,18	879,46	19,84	TR/1
840	904	25	TR/3
849,3	900,1	19,84	TR/3
850	900	19	TR/3
850	900	20	TR/3
850	910	25	TR/3
850	914	25	TR/3
850,9	900,1	19,84	TR/3
860	920	25	TR/3
860	924	25	TR/3
863,58	927,08	25	TR/1
864	928	25	TR/1
880	944	25,6	TR/3
890	954	25	TR/1
890,57	954,07	25	TR/1
899,5	960,5	30	TR/1
900	960	30	TR/1
900	960	30	TR/3
900	980	23	TR/3
910	974	25	TR/3
920	970	20	TR/2
930	980	20	TR/3
930	990	25	TR/1
930	994	25	TR/2
933,45	984,29	22,22	TR/2
934	984	22	TR/2
940	995	25	TR/1
950	1014	25	TR/3
952,45	1003,3	22,22	TR/2

Ød	ØD	H	PROFILE
953	1003	22	TR/2
954	1004	22	TR/2
965	1015	22	TR/2
965,2	1016	20	TR/3
965,2	1016	22,22	TR/3
970	1030	21,5	TR/3
970	1034	25	TR/3
990	1040	22	TR/3
990	1040	25	TR/3
990	1054	25	TR/3
995	1025	15	TR/1
1000	1064	25	TR/3
1020	1084	25	TR/3
1049,3	1112,8	25	TR/1
1050	1114	25	TR/1
1055	1119	25	TR/3
1060	1110	20	TR/1
1060,4	1109,6	19,84	TR/1
1073	1104	15	TR/1
1105	1154	25	TR/3
1105	1160	25	TR/3
1110	1160	22	TR/3
1219,2	1270	21	TR/1
1249,3	1298,5	19,84	TR/1
1250	1300	20	TR/1
1250	1314	25	TR/1
1320	1370	20	TR/3
1330	1394	25	TR/3
1447,8	1524	19,05	TR/3
1550	1614	25	TR/3
1556	1620	25	TR/3
1600	1664	25,3	TR/3
1610	1670	20	TR/3

Ød	ØD	H	PROFILE
1620	1684	25	TR/3
1656	1720	25	TR/3
2350	2414	25	TR/3